The FX and Precious Metals Market order parameters, reporting documents and trading modes

1. Parameters of orders

- 1.1. Average allowed number of actions* performed per second in the trading system with the use of an individual trader's code during a 5-minute period 150.
- 1.2. Average allowed number of error messages generated per second in the trading system in case of erroneous actions performed with the use of an individual trader's code during a 5 minute period 150.
- 1.3. Orders from the algorithmic package of orders are submitted to the Trading System with a minimum frequency of 1 sec. The maximum number of orders in the algorithmic package of orders is 59,999.
- 1.4. Minimum allowed number of lots specified in a hidden order as lots to be displayed in the current quotes window -1,000.
- 1.5. Maximum allowed ratio of hidden lots to lots displayed in the current quotes window for a hidden order -100:1.
- 1.6. An artificial delay determined randomly may occur for an order in USDRUB_TDB, USDRUB_TMB, EURRUB_TDB and EURRUB_TMB in the period from the moment the order is entered into the MOEX's facility to its registration in the trading system. The delay may be from 1 to 100 milliseconds as determined by the competent body of Moscow Exchange.
 - An artificial delay determined randomly may occur for an order in TRYRUB_TOD, TRYRUB_TOM for order book limit orders in the period from the moment the order is entered into the MOEX's facility to its registration in the trading system. The delay may be from 1 to 1000 milliseconds as determined by the competent body of Moscow Exchange.
- 1.6.1. The message to cancel an order ('cancel' transaction) may be sent to the MOEX's facility only after the order is registered in the trading system. Randomly determined artificial delays are not applied to 'cancel' transactions.
- 1.7. The volume of the order (in lots) from the algorithmic package of orders is determined in accordance with the following order:

1.7.1. Functions used:

- Round function of mathematical rounding to a given rounding order;
- Floor (Ceil) functions of rounding down (up) to the specified rounding order;
- Random function of sampling a random variable from a range;
- Min (Max) minimum (maximum) value sampling functions.
 - 1.7.2. Remaining volume of the algorithmic package of applications for the i-th iteration:

$$Vrem_i = V - \sum_{j=1}^{i-1} Vfact_J$$
,

where $Vfact_j$ – the volume actually executed when placing a related order at the j-th iteration. At iteration i=1 $Vrem_i = V$.

1.7.3. Planned number of iterations remaining until the completion of the algorithm (including the current iteration i):

$$M_i = Min\left(N - i + 1, Floor\left(\frac{Vrem_i}{Vmin}\right)\right)$$

1.7.4. Average order volume from the algorithmic package of orders:

^{*} Action performed in the trading system with the use of an individual trader's code shall mean submission, withdrawal and modification of orders.

$$Vav_i = Floor \left(\begin{cases} M_i = 0 : Vrem_i \\ M_i \neq 0 : \frac{Vrem_i}{M_i} \end{cases} \right)$$

1.7.5. The minimum order volume from the algorithmic package of orders:

$$Vmin_{i} = \begin{cases} Vav_{i} = 0:0 \\ Vav_{i} \neq 0:Max \left(Floor\left(Vav_{i} \times \left(1 - \frac{K_{r}exp}{2}\right)\right), Vmin\right), \end{cases}$$

where $K_r exp = \frac{e^{K_r - 1}}{e - 1}$ - the amount of random rejection of an application from an algorithmic package of orders.

1.7.6. Maximum order volume from the algorithmic package of orders:

$$Vmax_i = Ceil\left(Vav_i \times \left(1 + \frac{K_rexp}{2}\right)\right)$$

1.7.7. Random order volume from the algorithmic package of orders:

$$Vrand_i = Random(Vmin_i, Vmax_i)$$

Range boundaries are included.

With a uniform distribution $(K_r = K_r exp = 0) Vrand_i = Vav_i$ always.

1.7.8. Normalization by the minimum balance (it is guaranteed to leave the volume Vmin for each subsequent iteration of the algorithmic package - provided that all orders from it will be fully executed in the Trading System):

$$Vmin\ rem_i = Min(Vrand_i, Vrem_i - Vmin \times Max(M_i - 1, 0))$$

1.7.9. Addition of the remainder (if, as a result of the execution of the i-th iteration (subject to the complete execution of the order in the Trading System), the volume <Vmin remains in the algorithmic package, then the remainder is added to the volume of the current iteration):

$$Vadd_i = \begin{cases} Vrem_i - Vmin \ rem_i \geq Vmin : Vmin \ rem_i \\ Vrem_i - Vmin \ rem_i < Vmin : Vrem_i \end{cases}$$

1.8. The final calculation of the order volume from the algorithmic package of orders, scheduled for input at the i-th iteration:

$$Vplan_i = \begin{cases} Vadd_i \ge Vmin : Vadd_i \\ Vadd_i < Vmin : 0 \end{cases}$$

- 1.9. When entering the parameters of the algorithmic package, the trading participant has the right to indicate the coefficient of random rejection of orders from the algorithmic package of orders by the time of their entry and volume $-K_r = 0, ..., 1$ with step 0,1, where
 - 0 no deviations (even distribution of applications by time of entry and volume);
 - 1 maximum deviation (\pm 50% of the calculated mean time interval and the calculated mean volume Vav_i).

The amount of random rejection of orders is calculated as follows:

$$K_r exp = \frac{e^{K_r}-1}{e^{-1}},$$

where $K_r exp$ – random rejection of applications,

 K_r – coefficient of random rejection of orders set by the Trading Member (0, ..., 1), e^x – exponent of a given number.

- 1.10. Control of the volume of the algorithmic package and the volume of applications (both market and limited) contained in this algorithmic package:
 - the maximum volume of an algorithmic package entered without additional confirmation is 1,000,000 lots. If this volume is exceeded, the algorithmic package is entered into the Trading

- System only with additional confirmation by the trading participant of the message issued by the Trading System;
- if while entering an algorithmic package, the calculated volume of at least one application contained in this algorithmic package exceeds 1,000 lots, the trading participant is given a message (which does not require additional confirmation) about the presence of an application with such volume in the algorithmic package. The verification specified in this paragraph is not carried out if, in accordance with the internal documents of Moscow Exchange, a minimum order size (in lots) is set for the instrument exceeding the established threshold value of the volume of one application contained in this algorithmic package (1,000 lots);
- if while entering an algorithmic package, the calculated volume of at least one application contained in this algorithmic package exceeds 10,000 lots, such an algorithmic package of applications is completely rejected by the Trading System with the issuance of an information message to the trading participant about the rejection of the entire algorithmic package and the need to correct its parameters. If further, while executing the algorithmic package and recalculating its remainder, the volume of the application during any of the iterations exceeds 10,000 lots, such an application is executed without prior notification of the trading participant. The verification specified in this paragraph is not carried out if, in accordance with the internal documents of Moscow Exchange, a minimum order size (in lots) is set for the instrument exceeding the maximum allowable volume of one application contained in this algorithmic package (10,000 lots).
- 1.11. From 7:00 to 23:50 of the trading period of the main trading session for CETS and SDBP Codes of trading modes for market orders types of "fill or kill" and "withdraw balance", sets a maximum control value deviation from allowable counter order, standing in line at the time of the filing of such market bids for instruments:

| Instrument | Maximum deviation |
|--|----------------------|
| USDRUB_TOD, USDRUB_TDB, USDRUB_TOM, USDRUB_TMB, USDRUB_TMS, USDRUB_SPT | |
| EURRUB_TOD, EURRUB_TDB, EURRUB_TOM, EURRUB_TMB, EURRUB_TMS, EURRUB_SPT | |
| EURUSD_TOD, EURUSD_TOM, EURUSD_SPT | |
| GBPUSD_TOD, GBPUSD_TOM, GBPUSD_SPT | |
| USDCNY_TOD, USDCNY_TOM, USDCNY_SPT | |
| CNYRUB_TOD, CNYRUB_TOM, CNYRUB_SPT | |
| USDCHF_TOD, USDCHF_TOM, USDCHF_SPT | |
| BYNRUB_TOD, BYNRUB_TOM, GBPRUB_TOD, GBPRUB_TOM | 1,00% |
| HKDRUB_TOD, HKDRUB_TOM | |
| USDKZT_TOD, USDKZT_TOM, USDKZT_SPT | |
| USDTRY_TOD, USDTRY_TOM, USDTRY_SPT | |
| USDJPY_TOD, USDJPY_TOM, USDJPY_SPT | |
| KZTRUB_TOD, KZTRUB_TOM, KZTRUB_SPT | |
| TRYRUB_TOD, TRYRUB_TOM, CHFRUB_TOD, CHFRUB_TOM | |
| JPYRUB_TOD, JPYRUB_TOM | |

1.12. From 7:00 to 23:50 of the trading period of the main trading session for CETS and SDBP Codes of trading modes for market orders types of "fill or kill" and "withdraw balance", sets a maximum control value spread relative to the best bid order with which market orders are accepted by the Trading System

| Instrument | Maximum spread |
|---|----------------|
| USDRUB_TOD, USDRUB_TDB, USDRUB_TOM, USDRUB_TMB, | |
| USDRUB_TMS, USDRUB_SPT | |
| EURRUB_TOD, EURRUB_TDB, EURRUB_TOM, EURRUB_TMB, | |
| EURRUB_TMS, EURRUB_SPT | |
| EURUSD_TOD, EURUSD_TOM, EURUSD_SPT | |
| GBPUSD_TOD, GBPUSD_TOM, GBPUSD_SPT | |
| USDCNY_TOD, USDCNY_TOM, USDCNY_SPT | |
| CNYRUB_TOD, CNYRUB_TOM, CNYRUB_SPT | |
| USDCHF_TOD, USDCHF_TOM, USDCHF_SPT | 0.500 |
| BYNRUB_TOD, BYNRUB_TOM, GBPRUB_TOD, GBPRUB_TOM | 0,50% |
| HKDRUB_TOD, HKDRUB_TOM | |
| USDKZT_TOD, USDKZT_TOM, USDKZT_SPT | |
| USDTRY_TOD, USDTRY_TOM, USDTRY_SPT | |
| USDJPY_TOD, USDJPY_TOM, USDJPY_SPT | |
| KZTRUB_TOD, KZTRUB_TOM, KZTRUB_SPT | |
| TRYRUB_TOD, TRYRUB_TOM, CHFRUB_TOD, CHFRUB_TOM | |
| JPYRUB_TOD, JPYRUB_TOM | |

2. The reporting documents

2.1. Name of files with electronic documents (ED) in XML format.

Format: files in the XML format (ED – a document signed by the digital signature);

Name: *MMNNNNN_TTTTTT_SSS_DDMMYY_NNNNNNNNNNN.xml.p7s.zip.p7e* with the following parameters:

MMNNNNN – the Trading member code in the electronic document circulation system (the SEDC) – the first 7 symbols of the Trading Member registration code.

TTTTT – the ED type consisting of 5 symbols (it can take on values specified in the text below);

SSS – the session code consisting of 3 symbols or an ordinal number of the session;

DDMMYY – a reporting date of the document;

NNNNNNNN – a unique number of an ED consisting of 8 symbols.

"Xml" shall mean a standard extension of an XML file, "p7s" shall mean a standard extension of a file signed with a digital signature in the SEDC, "zip" is a standard extension of the archived file, "p7e" is a standard extension of the encrypted file.

2.2. Extract from Orders Register

Example of a file's name: *MB12345_CUX22_000_031011_12345678.xml*

The session code (parameter SSS in the file's name) shall always take the value 000.

Files in the form of (electronic document) ED shall be formed and sent at the request of the Trading member through the SEDC.

2.2.1. THE FORM

Extract from Orders Register

Registration date of the orders; <Date>

Exchange: Moscow Exchange

Trading Member: < Identifier>, <Name of Trading Member> Clearing Member: <Clearing code>, <Name of Clearing Member>

Settlement code of Clearing Member: <settlement code 1>...<settlement code N> Settlement code of Trading Member: <settlement code 1>...<settlement code N>

Settlement code of Trading Member Client: <settlement code 1>...<settlement code N>

Session name: <Session type>

| t | weighted | de also fix o d average liverable | <spo /weig</spo | ot trade/ fix tr ghted average erable future | trade | Base | currenc | су | <name:< th=""><th>></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></name:<> | > | | | | | | | |
|---|--------------|---|---|--|-----------|----------------------------|-------------|------|---|--|-----------------------------------|--------|-------------------|----------------------|--------------|-------------|-------------------------|
| | Settleme | nt date: | <dat< td=""><td>e></td><td></td><td>Quot</td><td>te currer</td><td>ісу</td><td><name:< td=""><td>></td><td>Quotes fo</td><td>or:</td><td>Base curren</td><td>cy unit</td><td></td><td></td><td></td></name:<></td></dat<> | e> | | Quot | te currer | ісу | <name:< td=""><td>></td><td>Quotes fo</td><td>or:</td><td>Base curren</td><td>cy unit</td><td></td><td></td><td></td></name:<> | > | Quotes fo | or: | Base curren | cy unit | | | |
| | Order No. | User ID / SMA ID | Trading Participant's ID for SES | Time of order registration | Direction | Algorithmic package number | Board ID | Туре | currency | n base , currency nits Hidden | Maximum allowed order price | Status | Cancellation time | Unfilled quantity | Counterparty | TCA code | Short Client code |
| | | | | | | | | | | | | | | | | | |

Orders for conclusion of swap trades/swap contracts

| | Swap trade/swap | | <swap swap<="" th="" trade=""><th colspan="2">Base currency</th><th colspan="2"><name></name></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></swap> | | Base currency | | <name></name> | | | | | | | | | | |
|---|-----------------|---------------------|--|----------------------------|---------------|--------------------------------------|---------------|------|---------------|---|-----------------------------------|--------|--------------------|----------------------|--------------|-------------|-------------------------|
| _ | contract: | | contract code> | | | Quote currency | | ency | <name></name> | | Quotes for: | | Base currency unit | | | | |
| | Order No. | User ID / SMA ID | Trading Participant's ID for SES | Time of order registration | Direction | Algorith mic package number | Board ID | Туре | Base rate | Size in base currency, currency units | Maximum allowed order price | Status | Cancellation time | Unfilled quantity | Counterparty | TCA code | Short Client code |
| | | | | | | | | | | | | | | | | | |
| | · | | | | | | | | | | | | | | | | |

| Authorized representative of the Exchange: | /N | ame | / |
|--|--------|-----|---|
| _ | | | - |

2.2.2. THE STRUCTURE OF ELECTRONIC DOCUMENT (XML-FILE) "EXTRACT FROM THE ORDER REGISTER" CUX22

| Node | Attribute | Description | Required | Type | Length | Decim als |
|-----------------|--------------------|--|----------|-----------|--------|--------------|
| MICEX_DOC | | Document root element | | | | uis - |
| DOC_REQUISITES | | Document metadata | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the | No | Character | 1-12 | |
| | | electronic document exchange system | | | | |
| | DOC_TYPE_ID | Document type ID in the electronic | No | Character | 1-12 | |
| | | document exchange system | | | | |
| | SENDER_ID | Sender ID | | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | 1-30 | |
| | RECEIVER_ID | Recipient ID | No | Character | 1-12 | |
| | REMARKS | Additional remarks | No | Character | 1-120 | |
| | SIGNAUTHOR | Name of the electronic signature | No | Character | | |
| | | author | | | | |
| /DOC_REQUISITES | | | | | | |
| CUX22 | | Element with report data | | | | |
| | ReportDate | Trading date | Yes | Date | | |
| | FirmId | Firm ID | Yes | Character | 0-12 | |
| | FirmName | Firm name (rus) | | Character | 0-120 | |
| | FirmNameEN | Firm name (eng) | No | Character | 0-120 | |
| CLEARPART | | Element with data per clearing | | | | |
| | | participant | | | | |
| | ClearingFirmId | Clearing Firm ID | Yes | Character | 0-12 | |
| | ClearingFirmName | Clearing Firm Name (rus) | Yes | Character | 0-120 | |
| | ClearingFirmNameEN | Clearing Firm Name (eng) | No | Character | 0-120 | |
| SETTLE | | Element with data per settlement code | | | | |
| | ExtSettleCode | Clearing member settlement code | Yes | Character | 20 | |
| TRADEACC | | Element with data per Settlement code of Trading Member / Trading Member Client | | | | |
| | ExtTradeCode | Settlement code of Trading Member / Settlement code of Trading Member Client | Yes | Character | 20 | |
| | ExtTradeCodeType | Type of Trading Member Settlement code: TRADE – Settlement code of Trading Member, CLIENT – Settlement code of Trading Member Client | Yes | Character | 10 | |
| SESSION | | Element with data per session type | | | | |
| SESSION | AddSession | Session type (N – main Trading | Yes | Character | 1 | |
| | 14455551011 | session) | 103 | Jim uctoi | 1 | |
| | SessionName | Session name (rus) | Yes | Character | | |
| | SessionNameEN | Session name (eng) | Yes | Character | | |
| CURRPAIR | | Element with data per currency pair | | | | |
| | CurrencyId | Currency ID | Yes | Character | 4 | |
| | CurrencyName | Currency name (rus) | Yes | Character | 30 | |
| | CurrencyNameEN | Currency name (eng) | | Character | 30 | |
| | CoCurrencyId | Related currency ID | | Character | 4 | |
| | CoCurrencyName | Related currency name (rus) | | Character | 30 | |
| | CoCurrencyNameEN | Related currency name (eng) | No | Character | 30 | |
| SECURITY | CocurrencyTtameExt | Element with data per security | 110 | Character | 30 | |
| SECORITI | SecurityId | Security ID | Yes | Character | 12 | |
| | SecShortName | Short security name | | Character | 10 | |
| | FaceValue | Ouote | Yes | Number | 20 | 6 |
| SETTLEDATE | i acc varue | Element with data per settlement date | 108 | TUITIOCI | 20 | 0 |
| BETTLEDATE | SettleDate | Settlement date | Yes | Date | | |
| | | | | | | |
| | FixingDate | Fixing/weighted average price calculation date | No | Date | | |
| CDOLID | | | | | | |
| GROUP | TradeGroup | Element with data per order type Order type: T – spot trade order also | Yes | Character | 1 | |
| | TradeGroup | fix trade order/weighted average | 1 es | Character | 1 | |

| | | order/deliverable futures order; | | | | |
|-------------|----------------|---|-----|-----------|------|---|
| | | S - swap order/swap contract order; | | | | |
| RECORDS | | Element with data per each order | | | | |
| RECORDS | OrderNo | Order number | Yes | Number | 20 | 0 |
| | AlgoOrderNo | Algorithmic package number | No | Number | 20 | 0 |
| | IsActualMM | Market-maker's agreement order (Y – Yes) | No | string | 1-1 | |
| | UserId | User ID / Sponsored market access ID (SMA ID) | Yes | Character | 0-12 | |
| | ASP | Trading Participant's ID for SES (Simple electronic Signature) | Yes | Character | 0-12 | |
| | EntryTime | Order registration time | Yes | Time | | |
| | BuySell | Order direction: B - buy S - sell | Yes | Character | 1 | |
| | OrderType | Order type | Yes | Character | 3 | |
| | BasePrice | Base rate | No | Number | 20 | 6 |
| | Quantity | Value expressed in the currency of the lot, in units of currency | Yes | Number | 20 | 2 |
| | QuantityHidden | Hidden value expressed in the currency of the lot, in units of currency | No | Number | 20 | 0 |
| | Decimals | Number of decimals in the exchange rate (price field) | Yes | Number | | |
| | Price | Price | No | Number | 20 | 6 |
| | Status | Status | Yes | Character | 1 | |
| | AmendTime | Order withdrawal time | No | Time | | |
| | Balance | Non-filled remainder | Yes | Number | 20 | 2 |
| | CPFirmId | Counterparty Firm ID | No | Character | 0-12 | |
| | TrdAccId | Trading-clearing account code | Yes | Character | 0-12 | |
| | ClientCode | Client code | No | Character | 12 | |
| | Details | Client taxpayer number or passport number | No | Character | 20 | |
| | SubDetails | Subbroker taxpayer number or passport number | No | Character | 20 | |
| | BoardId | Trading board ID | Yes | Character | 4 | |
| | BoardName | Trading board name | Yes | Character | 30 | |
| | BoardNameEN | Trading board name (eng) | No | Character | 30 | |
| /RECORDS | | | | | | |
| /GROUP | | | | | | |
| /SETTLEDATE | | | | | | |
| /SECURITY | | | | | | |
| /CURRPAIR | | | | | | |
| /SESSION | | | | | | |
| /TRADEACC | | | | | | |
| /SETTLE | | | | | | |
| /CLEARPART | | | | | | |
| /CUX22 | | | | | | |
| /MICEX_DOC | | | | | | |

| Order type | "OrderType" field values in the "CUX22" report |
|--|--|
| Order book limit order type "place in queue", execution at different rates | LS |
| Order book limit order type "withdraw balance", filling at different rates | LSW |
| Order book limit order type "fill or kill", filling at different rates | LSN |
| Order book market order type "place in queue", filling at different rates | MS |
| Order book market order type "fill or kill", filling at different rates | MSN |
| Off book order to execute negotiated trades; order to execute an order book trade of the "To all" type; order to execute a trade of the "auction" type | NO |
| VWAP order "withdraw balance", filling at different rates | WSW |
| VWAP order "fill or kill", filling at different rates | WSN |

The "hide amount" type is eligible for order book limit orders (except for fix trades).

Book orders of the 'To all' type are not permitted for execution of fix trades.

VWAP orders are possible to use only for USDRUD_TOM instrument.

2.3. Extract from the trade register

The file's name example: *MB12345_CUX23_D01_031011_12345678.xml*

The session code (the parameter SSS in the file's name) shall take the following values: **DNN/MNN** depending on following:

DNN: the report is delivered to Trading members after the end of the trading for instruments with settlement date coinciding with the trade execution date, and /or to Trading members who sent an Early Settlement Standing Instruction or an Early Settlement Request to the Clearing Centre pursuant to the Clearing rules (NN – an ordinal number of the session),

MNN: the report is delivered to Trading members after 19:00 (after 18:00 to Trading members who sent an Early Settlement Standing Instruction or an Early Settlement Request to the Clearing Centre) upon the end of the trading for instruments with settlement date following the trade execution date, and/or to Trading members who sent a Request for early completion of trading with the Clearing Center or a Standing instruction for early completion of trading with the Clearing Center to the Clearing Centre pursuant to the Clearing rules (NN – an ordinal number of the session),

2.3.1. THE FORM

Extract from Trades Register

Trades execution date: <Date>

Exchnage: Moscow Exchange

Trading Member: < Identifier>, <Name of Trading Member>
Clearing Member: <Clearing Code>, <Name of Clearing Member>

Settlement code of Clearing Member: <settlement code 1>...<settlement code N>
Settlement code of Trading Member: <settlement code 1>...<settlement code N>
Settlement code of Trading Member Client: <settlement code 1>...<settlement code N>

Session name: Main session / Additional session

Spot trade also fix trade/weighted average trade/deliverable futures:

Spot trade/fix trade/weighted average trade/deliverable futures code>
Base currency: <Name>

Settlement date: <Date> Quote currency: <Name> Quotes for: Base currency unit

| | | | | | | | Ψ. | | 100 | | £ | | ******* | | |
|--------------|----------------------|-------------|-------------|--------------------------------------|--|--------------|----------------------------|------------------|------------------|--------------------------------------|--|----------------------------------|--------------------------|----------|-------------------|
| Trade No. | Trade execution time | Board ID | Direct ion. | Exchan ge rate of the trade | Size in quote currency, currency units | Order No. | Algorithmic package number | Derivative trade | Counterpart y | Fee for organization of trading, RUB | Fee for provision of the integrated technological service, RUB | Clearing services fee, RUB | Total fee per trade, RUB | TCA code | Short Client code |
| | | | | | | | | | | | | | | | |
| | | | 1 | | | | | | | | | | 1 | | |

Total Buy trades:

Total Sell trades:

Total fee:

Trades included in the swap trade/swap contract

| | | | | | | | | Ba | ase currency: | <name< th=""><th>!></th><th></th><th></th><th></th><th></th><th></th></name<> | !> | | | | | |
|--------------|----------------------|-------------|---|--------------------------------------|---------------------------------------|--|-----------------|----------------------------|---------------|--|--------------------------------------|---|-------------------|--------------------------------|-----|-------------------|
| Swap tı | ade/swap co | ntract: | <sw< td=""><td>ap trade</td><td>/ swap cont</td><td>ract code></td><td colspan="3">Quote currency:</td><td><name< td=""><td>e> Qι</td><td>otes for: Barrier ur</td><td>se currency it</td><td></td><td></td><td></td></name<></td></sw<> | ap trade | / swap cont | ract code> | Quote currency: | | | <name< td=""><td>e> Qι</td><td>otes for: Barrier ur</td><td>se currency it</td><td></td><td></td><td></td></name<> | e> Qι | otes for: Barrier ur | se currency it | | | |
| Trade No. | Trade execution time | Board ID | Direct ion | Exchan ge rate of the trade | Size in base currency, currency units | Size in quote currency, currency units | Order No. | Algorithmic package number | | Counterparty | Fee for organization of trading, RUB | Fee for provision of the integrate technological service, RUB | Lilearing | Total fee per trade, RUB | ICA | Short Client code |
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |
| | Total Buy to | rades: | | | | | | Total fe | e: | | | | | | | |

Total Sell trades:

_/Name/ Authorized representative of the Exchange:

2.3.2. THE STRUCTURE OF ELECTRONIC DOCUMENT (XML-FILE) "EXTRACT FROM THE TRADE REGISTER" CUX23

| Node | Attribute | Description | Required | Type | Length | Decim als |
|-----------------|--------------------|--|----------|--------------|--------|--------------|
| MICEX_DOC | | Document root element | | | | 552.22 |
| DOC_REQUISITES | | Document metadata | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the | No | Character | 1-12 | |
| | | electronic document exchange system | | | | |
| | DOC_TYPE_ID | Document type ID in the electronic document exchange system | No | Character | 1-12 | |
| | SENDER_ID | Sender ID | No | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | 1-30 | |
| | RECEIVER_ID | Recipient ID | No | Character | 1-12 | |
| | REMARKS | Additional remarks | No | Character | 1-120 | |
| | SIGNAUTHOR | Name of the electronic signature | No | Character | | |
| | | author | | | | |
| /DOC_REQUISITES | | | | | | |
| CUX23 | | Element with report data | | | | |
| | ReportDate | Trading date | Yes | Date | | |
| | FirmId | Firm ID | Yes | Character | 0-12 | |
| | FirmName | Firm name | | Character | 0-120 | |
| | FirmNameEN | Firm name (eng) | No | Character | 0-120 | |
| CLEARPART | | Element with data per clearing | | | | |
| | | participant | | | | |
| | ClearingFirmId | Clearing Firm ID | Yes | Character | 0-12 | |
| | ClearingFirmName | Clearing Firm Name (rus) | | Character | 0-120 | |
| | ClearingFirmNameEN | Clearing Firm Name (eng) | No | Character | 0-120 | |
| SETTLE | | Element with data per settlement code | | | | |
| ~ | ExtSettleCode | Clearing member settlement code | Yes | Character | 20 | |
| TRADEACC | E. A. Settle Code | Element with data per Settlement code | 103 | | | |
| 1101221100 | | of Trading Member / Trading Member Client | | | | |
| | ExtTradeCode | Settlement code of Trading Member / Settlement code of Trading Member Client | Yes | Character | 20 | |
| | ExtTradeCodeType | Type of Trading Member Settlement code: TRADE – Settlement code of Trading Member, CLIENT – Settlement code of Trading Member Client | Yes | Character | 10 | |
| SESSION | | Element with data per session type | | | | |
| | AddSession | Session type (N – Main trading | Yes | Character | 1 | |
| | | session, Y -Main trading session | | | | |
| | | (default obligations settlement)) | | | | |
| | SessionName | Session name (rus) | Yes | Character | | |
| | SessionNameEN | Session name (eng) | Yes | Character | | |
| CURRPAIR | | Element with data per currency pair | | | | |
| | CurrencyId | Currency ID | Yes | Character | 4 | |
| | CurrencyName | Currency name (rus) | Yes | Character | 30 | |
| | CurrencyNameEN | Currency name (eng) | No | Character | 30 | |
| | CoCurrencyId | Related currency ID | Yes | Character | 4 | |
| | CoCurrencyName | Related currency name (rus) | | Character | 30 | |
| | CoCurrencyNameEN | Related currency name (eng) | | Character | 30 | |
| SECURITY | | Element with data per security | | | | |
| | SecurityId | Security ID | Yes | Character | 12 | |
| | SecShortName | Short security name | Yes | Character | 10 | |
| | FaceValue | Ouote | Yes | Number | 20 | 6 |
| SETTLEDATE | | Element with data per settlement date | | | | |
| -2112201112 | SettleDate | Settlement date | Yes | Date | | |
| GROUP | 2 3 1110 2 1110 | Element with data per trade type | 200 | | | |
| 01.001 | TradeGroup | Trade type: T - spot trade also fix | Yes | Character | 1 | |
| | - Tuut Group | trade/weighted average | 105 | 211111111111 | _ | |

| | | trade/deliverable futures; | | | | |
|-----------------------|-----------------------|---|------------|------------------------|----------|---|
| MARIORO | | S – swap trade/swap contract; | | | | |
| MAINSEC | | Element with data per main trades types | | | | |
| | MainSecurityId | Main SWAP trade security ID/ main SWAP contract security ID | Yes | Character | 12 | |
| | MainSecShortName | Main SWAP trade security short name/ main SWAP contract security short | Yes | Character | 10 | |
| DECORDS | | name | | | | |
| RECORDS | TradeNo | Element with data per each trade Trade number | Vac | Number | 20 | 0 |
| | BuySell | Trade number Trade direction: B - buy S - sell | Yes Yes | Character | 1 | U |
| | OrderNo | Order number | Yes | Number | 20 | 0 |
| | AlgoOrderNo | Algorithmic package number | No | Number | 20 | 0 |
| | IsActualMM | Market-maker's agreement order (Y – Yes) | No | string | 1-1 | U |
| | TradeDeriv | Derivative trade: Y – Yes; N – No | Yes | Character | 1 | |
| | TradeTime | Trade conclusion time | Yes | Time | 1 | |
| | TradeType | Trade type: T – anonymous trade; N - negotiated trade; S – swap trade/swap contract; W - negotiated swap trade/swap | Yes | Character | 1 | |
| | Decimals | contract Number of decimals in the exchange rate (price field) | Yes | Number | | |
| | Price | Exchange rate | Yes | Number | 20 | 6 |
| | Quantity | Volume expressed in the currency of | Yes | Number | 20 | 2 |
| | Quantity | the lot, in units of currency | 103 | rumber | 20 | 2 |
| | Value | Value expressed in the related currency, in units of currency | Yes | Number | 20 | 2 |
| | CPFirmId | Counterparty Firm ID | No | Character | 0-12 | |
| | Period | Trading period: O - open period; N - | Yes | Character | 1 | |
| | 0 41 0 1 | normal trading; C - close period; | 37 | CI . | 12 | |
| | SettleCode UserId | Settlement code User ID/ Sponsored market access ID | Yes Yes | Character Character | 0-12 | |
| | | (SMA ID) | | | | |
| | UserExchangeId | Exchange ID | Yes | Character | 20 | |
| | BrokerRef ExtRef | Additional notes (broker reference) Notes of the external order | No No | Character Character | 12 | |
| | | management system | | | | |
| | ExchComm | Trading commission, in rubles | No | Number | 20 | 2 |
| | AddExchComm | Additional fee for the organization of trading, in rubles | No | | 20 | 2 |
| | ITSComm | Technical access commission, in rubles | No | Number | 20 | 2 |
| | ClrComm | Clearing commission, in rubles | No | Number | 20 | 2 |
| | SumComm | Total commission, in rubles | No | Number | 20 | 2 |
| | TrdAccId | Trading-clearing account code | Yes | Character | 0-12 | - |
| | ClientCode Details | Client code Client taxpayer number or passport | No No | Character Character | 12 20 | |
| | SubDetails | number Subbroker taxpayer number or passport number | No | Character | 20 | |
| | RepoTradeNo | Main SWAP trade number/ main SWAP contract deal number | No | Number | 20 | 0 |
| | BoardId | Trading board ID | Yes | Character | 4 | |
| | BoardName | Trading board name | Yes | Character | 30 | |
| | BoardNameEN | Trading board name (eng) | No | Character | 30 | |
| /RECORDS | | | | | | |
| /MAINSEC | | | | | | |
| /GROUP | | | | | | |
| /SETTLEDATE | | | | | | |
| /SECURITY | | | | | | |
| /CURRPAIR | | | | | | |
| /SESSION | | | | | | |
| /TRADEACC | | | | | | |
| /SETTLE /CLEARPART | | | | | | |
| /CLEAKI AKI | | | | | | |

| /CUX23 | | | |
|------------|--|--|--|
| /MICEX DOC | | | |

2.4 Extract from the register with Additional fee accrual

Files in the form of an ED are formed and sent to trading members of the FX Market with the calculated Additional fee for the organization of trading before 10:00 of the next working day through the EDI system.

2.4.1 THE FORM

Extract from Trades Register with Additional fee accrual

Trades execution date: <Date>

Exchnage: Moscow Exchange

Spot trade also fix

Trading Member: < Identifier>, <Name of Trading Member>
Clearing Member: <Clearing Code>, <Name of Clearing Member>

Settlement code of Clearing Member: <settlement code 1>...<settlement code N> Settlement code of Trading Member: <settlement code 1>...<settlement code N>

Settlement code of Trading Member Client: <settlement code 1>...<settlement code N>

Session name: Main session / Additional session

<Spot trade/fix trade/weighted average trade/weighted average Base currency: <Name> trade/deliverable futures code> trade/deliverable futures: Settlement date: <Date> Ouote currency: <Name> Ouotes for: Base currency unit Additio TCA Size in Size in Total fee per trade, code nal fee Fee for Clearing Algorith Exchan base quote Trade Fee for for provision of the including the Trade Board Direct Order Derivative Counter services mic ge rate currency, currency, organization of Additional fee for execution organiza integrated No. ID ion. package trade fee, of the party

currency currency trading, RUB tion of technological organisation of time code trade number RUB units units trading RUB trading, service, RUB RUB

Short

Client

Total Buy trades:

Total fee:

Total Sell trades:

2.4.2 THE STRUCTURE OF ELECTRONIC DOCUMENT (XML-FILE) "EXTRACT FROM THE TRADE REGISTER WITH ADDITIONAL FEE ACCRUAL" CUX23B

| Node | Attribute | Description | Requir ed | Type | Length | Decima ls |
|-----------------|------------------------|--|--------------|-----------|--------|--------------|
| MICEX_DOC | | Document root element | | | | |
| DOC_REQUISITES | | Document metadata | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the electronic | No | Character | 1-12 | |
| | | document exchange system | | | | |
| | DOC_TYPE_ID | Document type ID in the electronic document exchange system | No | Character | 1-12 | |
| | SENDER_ID | Sender ID | No | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | | |
| | RECEIVER_ID | Recipient ID | No | Character | | |
| | REMARKS | Additional remarks | No | Character | | |
| | SIGNAUTHOR | Name of the electronic signature author | No | Character | 1-120 | |
| /DOC DECLUSITES | SIGNAUTHOR | ivalile of the electronic signature author | INO | Character | | |
| /DOC_REQUISITES | | El ('d (l (| | | | |
| CUX23B | D . D . | Element with report data | * 7 | Б. | | |
| | ReportDate | Trading date | Yes | Date | | |
| | FirmId | Firm ID | Yes | Character | | |
| | FirmName | Firm name | Yes | Character | | |
| | FirmNameEN | Firm name (eng) | No | Character | 0-120 | |
| CLEARPART | | Element with data per clearing participant | | | | |
| | ClearingFirmId | Clearing Firm ID | Yes | Character | 0-12 | |
| | ClearingFirmName | Clearing Firm Name (rus) | Yes | Character | 0-120 | |
| | ClearingFirmNameE N | Clearing Firm Name (eng) | No | Character | 0-120 | |
| SETTLE | | Element with data per settlement code | | | | |
| DETTEE | ExtSettleCode | Clearing member settlement code | Yes | Character | 20 | |
| TRADEACC | LABethecode | Element with data per Settlement code of | 103 | Character | 20 | |
| TRADEACC | | Trading Member / Trading Member Client | | | | |
| | ExtTradeCode | Settlement code of Trading Member / Settlement code of Trading Member Client | Yes | Character | 20 | |
| | ExtTradeCodeType | Type of Trading Member Settlement code: TRADE – Settlement code of Trading Member, CLIENT – Settlement code of Trading Member Client | Yes | Character | 10 | |
| SESSION | | Element with data per session type | | | | |
| | AddSession | Session type (N – Main trading session, Y – Main trading session (default obligations settlement)) | Yes | Character | 1 | |
| | SessionName | Session name (rus) | Yes | Character | | |
| | SessionNameEN | Session name (eng) | Yes | Character | | |
| CURRPAIR | Session (united) | Element with data per currency pair | 100 | CHARACTER | | |
| Coldarine | CurrencyId | Currency ID | Yes | Character | 4 | |
| | CurrencyName | Currency name (rus) | Yes | Character | | |
| | CurrencyNameEN | Currency name (eng) | No | Character | | |
| | CoCurrencyId | | Yes | | | |
| | | Related currency ID | | Character | | |
| | CoCurrencyName | Related currency name (rus) | Yes | Character | | |
| ded in my | CoCurrencyNameEN | Related currency name (eng) | No | Character | 30 | |
| SECURITY | g | Element with data per security | ** | CI. | 10 | |
| | SecurityId | Security ID | Yes | Character | | |
| | SecShortName | Short security name | Yes | Character | | |
| | FaceValue | Quote | Yes | Number | 20 | 6 |
| SETTLEDATE | | Element with data per settlement date | | | | |
| | SettleDate | Settlement date | Yes | Date | | |
| GROUP | | Element with data per trade type | | | | |
| | TradeGroup | Trade type: T - spot trade also fix trade/weighted average trade/deliverable futures; | Yes | Character | 1 | |
| | | S – swap trade/swap contract; | | | | |
| MAINSEC | | Element with data per main trades types | | | | |
| | MainSecurityId | Main SWAP trade security ID/ main SWAP contract security ID | Yes | Character | 12 | |
| | MainSecShortName | Main SWAP trade security short name/ main SWAP contract security short name | Yes | Character | 10 | |
| RECORDS | | Element with data per each trade | | | | |
| TLE CORDS | | , por vuon audo | | | | |

| | TradeNo | Trade number | Yes | Number | 20 | 0 |
|-------------|----------------|--|-----|-----------|------|----------|
| | BuySell | Trade direction: B - buy S - sell | Yes | Character | 1 | |
| | OrderNo | Order number | Yes | Number | 20 | 0 |
| | AlgoOrderNo | Algorithmic package number | No | Number | 20 | 0 |
| | TradeDeriv | Derivative trade: Y – Yes; N – No | Yes | Character | 1 | |
| | TradeTime | Trade conclusion time | Yes | Time | | |
| | TradeType | Trade type: T – anonymous trade; N - negotiated trade; S – swap trade/swap contract; W - negotiated swap trade/swap contract | Yes | Character | 1 | |
| | Decimals | Number of decimals in the exchange rate (price field) | Yes | Number | | |
| | Price | Exchange rate | Yes | Number | 20 | 6 |
| | Quantity | Volume expressed in the currency of the lot, in units of currency | Yes | Number | 20 | 2 |
| | Value | Value expressed in the related currency, in units of currency | Yes | Number | 20 | 2 |
| | CPFirmId | Counterparty Firm ID | No | Character | 0-12 | |
| | Period | Trading period: O - open period; N - normal trading; C - close period; | Yes | Character | | |
| | SettleCode | Settlement code | Yes | Character | 12 | |
| | UserId | User ID/ Sponsored market access ID (SMA ID) | Yes | Character | | |
| | UserExchangeId | Exchange ID | Yes | Character | | |
| | BrokerRef | Additional notes (broker reference) | No | Character | | |
| | ExtRef | Notes of the external order management system | No | Character | | |
| | ExchComm | Trading commission, in rubles | No | Number | 20 | 2 |
| | AddExchComm | Additional fee for the organization of trading, in rubles | No | Number | 20 | 2 |
| | ITSComm | Technical access commission, in rubles | No | Number | 20 | 2 |
| | ClrComm | Clearing commission, in rubles | No | Number | 20 | 2 |
| | SumComm | Total commission, in rubles | No | Number | 20 | 2 |
| | TrdAccId | Trading-clearing account code | Yes | Character | | <u> </u> |
| | ClientCode | Client code | No | Character | | |
| | Details | Client taxpayer number or passport number | No | Character | | |
| | SubDetails | Subbroker taxpayer number or passport number | No | Character | | |
| | RepoTradeNo | Main SWAP trade number/ main SWAP contract deal number | No | Number | 20 | 0 |
| | BoardId | Trading board ID | Yes | Character | 4 | |
| | BoardName | Trading board name | Yes | Character | 30 | |
| /RECORDS | | | | | | |
| /MAINSEC | | | | | | |
| /GROUP | | | | | | |
| /SETTLEDATE | | | | | | |
| /SECURITY | | | | | | |
| /CURRPAIR | | | | | | |
| /SESSION | | | | | | |
| /TRADEACC | | | | | | |
| /SETTLE | | | | | | |
| /CLEARPART | | | | | | |
| /CUX23B | | | | | | |
| /MICEX_DOC | | | | | | |

2.5 Report on the Additional fee for the organization of trading on transactions for the purchase of spot instruments over a month

Files in the form of an ED are formed and sent to trading members of the FX Market with the calculated Additional fee for the organization of trading no later than five working days of the month following the reporting one through the EDI system.

2.5.1 THE FORM

Report on the Additional fee for the organization of trading on transactions for the purchase of spot instruments over a month

Trades execution date: <Date 1> - <Date 2>

Exchnage: Moscow Exchange

Trading Member: < Identifier>, <Name of Trading Member>
Clearing Member: <Clearing Code>, <Name of Clearing Member>

| Trade date | Trade No. | Trade executio n time | Board ID | | Curr ency ID | te. | Order No. | Algorith mic order No. | Exchan ge rate of the trade | Size in lot currency, currency units | Size in related currency, currency units | The final quantity of the transaction for repayment under the contract, lot currency units | Additional fee (final value), RUB | Contract requsites | Utilized quantity of the trade, lot currency units | Change in Additional fee, RUB |
|---------------|--------------|-----------------------------|-------------|--|--------------------|-----|--------------|---------------------------------|--------------------------------------|---|--|---|---|-----------------------|---|-------------------------------------|
| | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |

Total buy trades: Total fee:

2.5.2 THE STRUCTURE OF THE ELECTRONIC DOCUMENT (XML-FILE) «REPORT ON THE ADDITIONAL FEE FOR THE ORGANIZATION OF TRADING ON TRANSACTIONS FOR THE PURCHASE OF SPOT INSTRUMENTS OVER A MONTH» CUX25

| Node | Attribute | Description | Require d | Type | Lengt h | Decimal s |
|---------------------|-----------------------|---|--------------|------------|------------|--|
| MICEX_DOC | | Document root element | | | | |
| DOC_REQUISITES | | Document metadata | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the electronic document exchange system | No | Character | 1-12 | |
| | DOC_TYPE_ID | Document type ID in the electronic document exchange system | No | Character | 1-12 | |
| | SENDER_ID | Sender ID | No | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | 1-30 | |
| | RECEIVER_ID | Recipient ID | No | Character | 1-12 | |
| | REMARKS | Additional remarks | No | Character | 1-120 | |
| | SIGNAUTHOR | Name of the electronic signature author | No | Character | 1-120 | |
| /DOC_REQUISITES | SIGNAUTHOR | Ivalle of the electronic signature author | 110 | Character | | |
| CUX25 | | Element with report data | | | | |
| CUALS | ReportDate1 | Start date of the period | Yes | Date | | |
| | ReportDate1 | End date of the period | | Date | | |
| | FirmId | Firm ID | Yes | Character | 0-12 | |
| | FirmName | Firm name | Yes | Character | 0-120 | |
| | FirmNameEN | Firm name (eng) | Нет | Character | 0-120 | |
| CLEARPART | 1 IIIII vaineEi v | Element with data per clearing participant | 1101 | Character | 0-120 | |
| CLLIMITHM | ClearingFirmId | Clearing Firm ID | Yes | Character | 0-12 | |
| | ClearingFirmName | Clearing Firm Name (rus) | | Character | 0-120 | |
| | ClearingFirmNameEN | Clearing Firm Name (eng) | Нет | Character | 0-120 | |
| RECORDS | Clearing TimivameEtv | Element with data per each trade | 1101 | Character | 0-120 | |
| RECORDS | TradeDate | Date of the trades | Yes | Date | | |
| | TradeNo | Trade number | Yes | Number | 20 | 0 |
| | TradeTime | Time of the trade | Yes | Time | 20 | U |
| | BoardId | Identifier of the trading rules | Yes | Character | 4 | |
| | SecurityId | Identifier of the instrument | Yes | Character | 12 | |
| | SecShortName | Short name of the instrument | Yes | Character | 10 | |
| | BuySell | Trade direction: B – buy, S - sell | Yes | Character | 1 | |
| | CurrencyId | Identifier of the base currency | Yes | Character | 4 | |
| | CoCurrencyId | Identifier of the conjugate currency | Yes | Character | 4 | |
| | FaceValue | Quote | Yes | Number | 20 | 6 |
| | OrderNo | Order number | | Number | 20 | 0 |
| | AlgoOrderNo | Algorithmic package order number | | Number | 20 | 0 |
| | Price | Exchange rate | | Number | 20 | 6 |
| | Quantity | Volume expressed in the currency of the lot, in units of currency | | Number | 20 | 2 |
| | Value | Value expressed in the related currency, in units of | Yes | Number | 20 | 2 |
| | QuantityFinal | Final quantity of the trade, in units of lot currency | Yes | Number | 20 | 2 |
| | AddExchCommStart | Additional fee (initial value), in rubles | | Number | 20 | 2 |
| | AddExchCommFinal | Additional fee (final value), in rubles | Yes | Number | 20 | 2 |
| CONTRACT_REQ | A GGEACHCOIIIIII THAI | Element with contract data | 1 68 | 1 TUITIDET | 20 | - |
| CONTRACT_REQ | ContractRequisites | Requisites of the contract | Yes | Character | 0-120 | |
| | QuantityUtilize | Utilized quantity of the trade, in units of lot currency | Yes | Number | 20 | 2 |
| | AddExchCommChange | Change in Additional fee, in rubles | Yes | Number | 20 | 2 |
| /CONTRACT_REQ | | | | | | |
| /RECORDS /CLEARPART | | | | | | |
| /CLEAKI AKI | | | | | | |

2.6 Extract from the trade register (analytical accounting of trades)

The file's name example: *MB12345_CUX33_000_031011_12345678.xml.p7s*The session code (the parameter *SSS* in the file's name) shall always take the value *000*.
Files in the form of ED shall be formed and sent at the request to the Trading member through

the EDI.

2.6.1 THE FORM

| ettlemei ettlemei | nt code of | Clearin Frading Frading | g Member Member Member | r: <settle : <settle< th=""><th>ment cod</th><th>de 1>< le 1><</th><th><pre><settlement 1="" o="" settlement=""><settle< pre=""></settle<></settlement></pre></th><th>ode N></th><th></th><th></th><th></th><th></th></settle<></settle | ment cod | de 1>< le 1>< | <pre><settlement 1="" o="" settlement=""><settle< pre=""></settle<></settlement></pre> | ode N> | | | | |
|-----------------------------------|----------------------------|--|------------------------------|---|-----------------------------|--|--|---|--------------------------------------|---------------|-------------|--------------|
| Swap trac Swap tra swap cor | ide/ | <swap< th=""><th>trade/ ontract cod</th><th>Ouo</th><th>e currency: te currency:</th><th><nar< th=""><th></th><th></th><th>Quo</th><th>tes for</th><th>Ba un</th><th>ise currency</th></nar<></th></swap<> | trade/ ontract cod | Ouo | e currency: te currency: | <nar< th=""><th></th><th></th><th>Quo</th><th>tes for</th><th>Ba un</th><th>ise currency</th></nar<> | | | Quo | tes for | Ba un | ise currency |
| Trade number | Trade execution time | Board ID | Direction | Base rate | Exchange rate of the trade | Size in base currency currency units | Size in quote currency, cur. units* | Order number | Algorith mic package number | Counter party | TCA code | Short Clie |
| | | otal buy total sell t | | | | | | | | | | |
| O | nted averaş | | | | e currency: te currency: | <na:< td=""><td></td><td></td><td></td><td>Ba</td><td></td><td></td></na:<> | | | | Ba | | |
| Fix/weig average | • | <fix td="" wearage<=""><td>eighted e trade code</td><td></td><td>te currency.</td><td>. CIVAL</td><td>ne></td><td></td><td>Quo</td><td></td><td>rren</td><td></td></fix> | eighted e trade code | | te currency. | . CIVAL | ne> | | Quo | | rren | |
| Trade number | Trade execution time | Quote curren cy: | <name></name> | Fixing/ weighted average price calculation date | d Fixing weig | hted | Discount (-) Premium (+) to the weighted average price | Size in base currenc y, currenc y units | Order number | Counter | TCA code | Short Clie |
| | | | | | | | | | | | | |

Authorized representative of the Exchange: __

/Name/

^{*}Value of a trade with the latest settlement date shall be indicated

2.6.2 THE STRUCTURE OF ELECTRONIC DOCUMENT (XML-FILE) "EXTRACT FROM THE TRADE REGISTER (ANALYTICAL ACCOUNTING OF TRADES)" CUX33

| Node | Attribute | Description | Required | Туре | Length | Decim als |
|-----------------|--------------------------|--|----------|-----------|--------|--------------|
| MICEX_DOC | | Document root element | | | | |
| DOC_REQUISITES | | Document metadata | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the electronic document exchange system | No | Character | 1-12 | |
| | DOC_TYPE_ID | Document type ID in the electronic document exchange system | No | Character | 1-12 | |
| | SENDER_ID | Sender ID | No | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | 1-30 | |
| | RECEIVER_ID | Recipient ID | No | Character | 1-12 | |
| | REMARKS | Additional remarks | No | Character | 1-120 | |
| | SIGNAUTHOR | Name of the electronic signature author | No | Character | | |
| /DOC_REQUISITES | | | | | | |
| CUX33 | | Element with report data | | | | |
| | ReportDate | Report generation date | Yes | Date | | |
| | FirmId | Firm ID | Yes | Character | 0-12 | |
| | FirmName | Firm name | Yes | Character | 0-120 | |
| | FirmNameEN | Firm name (eng) | No | Character | 0-120 | |
| CLEARPART | | Element with data per clearing participant | | | | |
| CDD: Hu : Ht | ClearingFirmId | Clearing Firm ID | Yes | Character | 0-12 | |
| | ClearingFirmName | Clearing Firm Name (rus) | Yes | Character | 0-120 | |
| | ClearingFirmNameEN | Clearing Firm Name (eng) | No | Character | 0-120 | |
| SETTLE | Crearings irini tamezi t | Element with data per settlement code | 110 | Character | 0 120 | |
| DETTEE | ExtSettleCode | Clearing member settlement code | Yes | Character | 20 | |
| TRADEACC | Exisetticeode | Element with data per Settlement code of | 103 | Character | 20 | |
| THUIDLINEC | | Trading Member / Trading Member Client | | | | |
| | ExtTradeCode | Settlement code of Trading Member / | Yes | Character | 20 | |
| | Extradecode | Settlement code of Trading Member Client | 103 | Character | 20 | |
| | ExtTradeCodeType | Type of Trading Member Settlement code: TRADE – Settlement code of Trading Member, CLIENT – Settlement code of Trading Member Client | Yes | Character | 10 | |
| SESSION | | Element with data per session type | | | | |
| | AddSession | Session type (N – Main trading session, Y – Main trading session (default obligations settlement)) | Yes | Character | 1 | |
| | SessionName | Session name (rus) | Yes | Character | | |
| | SessionNameEN | Session name (eng) | Yes | Character | | |
| GROUP | | Element with data per trade type | | | | |
| | TradeGroup | Trade type: S - swap trade/swap contract; F - fix/weighted average trade | Yes | Character | 1 | |
| CURRPAIR | | Element with data per currency pair | | | | |
| | CurrencyId | Currency ID | Yes | Character | 4 | |
| | CurrencyName | Currency name | Yes | Character | 30 | |
| | CurrencyNameEN | Currency name (eng) | No | Character | 30 | |
| | CoCurrencyId | Related currency ID | Yes | Character | 4 | |
| | CoCurrencyName | Related currency name | Yes | Character | 30 | |
| | CoCurrencyNameEN | Related currency name (eng) | No | Character | 30 | |
| | FaceValue | Quote | Yes | Number | 20 | 6 |
| SECURITY | | Element with data per security | | | | |
| | SecurityId | Security ID | Yes | Character | 12 | |
| | SecShortName | Short security name | Yes | Character | 10 | |
| RECORDS | | Element with data per trade | | | | |
| | TradeNo | Trade number | Yes | Number | 20 | 0 |
| | BuySell | Trade direction: B - buy S - sell | Yes | Character | 1 | |
| | OrderNo | Order number | Yes | Number | 20 | 0 |
| | AlgoOrderNo | Algorithmic package number | No | Number | 20 | 0 |
| | TradeTime | Trade conclusion time | Yes | Time | | |
| | | | | | | |

| | FixingDate | The settlement date of fixing/weighted average price | No | Date | | |
|------------|-------------|---|-----|-----------|------|---|
| | FixingRate | Fixing rate/Weighted average price | No | Number | 20 | 6 |
| | TradeType | Trade type: T - anonymous trade; N - negotiated trade; S - swap trade/swap contract; W - negotiated swap trade/swap contract. | Yes | Character | 1 | |
| | BasePrice | Base rate | No | Number | 20 | 6 |
| | Decimals | Number of decimals in the exchange rate (price field) | Yes | Number | | |
| | Price | Exchange rate, Discount (-) /Premium (+) to the weighted average price | No | Number | 20 | 6 |
| | Quantity | Volume expressed in the currency of the lot, in units of currency | Yes | Number | 20 | 2 |
| | Value | Value expressed in the related currency, in units of currency | No | Number | 20 | 2 |
| | CPFirmId | Counterparty Firm ID | No | Character | 0-12 | |
| | TrdAccId | Trading-clearing account code | Yes | Character | 0-12 | |
| | ClientCode | Client code | No | Character | 12 | |
| | Details | Client taxpayer number or passport number | No | Character | 20 | |
| | SubDetails | Subbroker taxpayer number or passport number | No | Character | 20 | |
| | RepoTradeNo | Main SWAP trade number/ main SWAP contract number | No | Number | 20 | 0 |
| | BoardId | Trading board ID | Yes | Character | 4 | |
| | BoardNameEN | Trading board name (eng) | No | Character | 30 | |
| /RECORDS | | | | | | |
| /SECURITY | | | | | | |
| /CURRPAIR | | | | | | |
| /GROUP | | | | | | |
| /SESSION | | | | | | |
| /TRADEACC | | | | | | |
| /SETTLE | | | | | | |
| /CLEARPART | | | | | | |
| /CUX33 | | | | | | |
| /MICEX_DOC | | | | | | |

2.7 "Extract from the transaction register"

A) For trading members without sponsored access IDs

The file's name example: MB12345_CUX24_000_031011_12345678.xml

The session code (the parameter *SSS* in the file's name) shall always take the value *000*. Files in the form of ED shall be formed and sent at the request to the Trading member through the EDI.

2.7.1 THE FORM

Extract from the transaction register

<Date>

Exchange: Moscow Exchange

Trading Member: <Identifier>, <Name of Trading Member>

Example of a file's name: MB12345_CUX24_000_031011_12345678.xml

| No | number of | Algorithmic package number | Time | Status | Reason of order rejection |
|----|-----------|----------------------------|------|--------|---------------------------|
| | | | | | |

| Authorized representative of the Exchange: | /Name/ |
|--|--------|
| | |

2.7.2 The structure of electronic data interchange (XML file) "Extract from the transaction register" CUX24

| Node | Attribute | Description | Required | Type | Length | Decim als |
|-----------------|-------------|--|----------|-----------|--------|--------------|
| MICEX_DOC | | Document root element | | | | |
| DOC_REQUISITES | | Document metadata | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the electronic document exchange system | No | Character | 1-12 | |
| | DOC_TYPE_ID | Document type ID in the electronic document exchange system | No | Character | 1-12 | |
| | SENDER_ID | Sender ID | No | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | 1-30 | |
| | RECEIVER_ID | Recipient ID | No | Character | 1-12 | |
| | REMARKS | Additional remarks | No | Character | 1-120 | |
| | SIGNAUTHOR | Name of the electronic signature author | No | Character | | |
| /DOC_REQUISITES | | | | | | |
| CUX24 | | Element with report data | | | | |
| | EntrytDate | Report generation date | Yes | Date | | |
| | FirmId | Firm ID | Yes | Character | 0-12 | |
| | FirmName | Firm name | Yes | Character | 0-120 | |
| | FirmNameEN | Firm name (eng) | No | Character | 0-120 | |
| RECORDS | | Element with data per each order | | | | |
| | RecNo | Number | Yes | Number | 11 | 0 |
| | TransNo | Unique number of order (transaction number) | Yes | Number | 20 | 0 |
| | AlgoOrderNo | Algorithmic package number | No | Number | 20 | 0 |
| | EntryTime | Fix time in trade system | Yes | Time | | |
| | Status | Order status: Y – registered in trade system; N – not registered in trade system | Yes | Character | 1 | |
| | MisType | Reason of order rejection | No | Character | 0-255 | |
| | MisTypeEN | Reason of order rejection (eng) | No | Character | 0-255 | |
| /RECORDS | | | | | | |
| /CUX24 | | | | | | |
| /MICEX_DOC | | | | | | |

B) For trading members with sponsored access IDs

The file's name example: MB12345_CUX34_000_031011_12345678.xml

The session code (the parameter *SSS* in the file's name) shall always take the value *000*. Files in the form of ED shall be formed and sent to the Trading members through the EDI.

2.7.3 THE FORM

Extract from the register regarding transactions made by sponsored access ID

Trade date: <date>

Exchange: Moscow Exchange

Trading Member: < Identifier>, < Name of Trading Member>

Sponsored access ID: <Identifier>

| No | Transaction (instruction) | Time of the instruction | | Order number | | Instru ment | Quantity in lot cur currency unit | - | Lot currency identifier | | | Time of instruction | | | | | Reason for instruction/or |
|----|---------------------------|-------------------------|-------------------|-----------------|---------------|----------------|-----------------------------------|--------|-------------------------|-------------|----------------------|---------------------|--------------------------|-------|---|-----|---------------------------|
| | unique code | submission | Dire ctio n | for | Board code | ID | Total | Hidden | | Limit price | Count erpart y | cancellation | Trading account ID | chart | Instruction number given by the client | ion | der rejection |
| | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |

| Authorized representative of the Exchange: | |
|--|--|
| | |

2.7.4 ELECTRONIC DOCUMENT STRUCTURE (xml file) FOR EXTRACTS FROM TRADE REGISTER CUX34

| Node | Attribute | Description | Required | Type | Length | Decimals |
|-----------------|----------------|---|----------|-----------|--------|----------|
| MICEX_DOC | | Root element of the XML document | | | | |
| DOC_REQUISITES | | Section for document details | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the EDI system | No | Character | 1-12 | |
| | DOC_TYPE_ID | Document type ID in the EDI system | No | Character | 1-12 | |
| | SENDER_ID | Sender ID | No | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | 1-30 | |
| | RECEIVER_ID | Recipient ID | No | Character | 1-12 | |
| | REMARKS | Additional remarks | No | Character | 1-120 | |
| | SIGNAUTHOR | Name of the electronic signature author | No | Character | | |
| /DOC_REQUISITES | | · · | | | | |
| CUX34 | | Section for report details | | | | |
| | EntrytDate | Trade date | Yes | Date | | |
| | FirmId | Trading member ID | Yes | Character | 0-12 | |
| | FirmName | Trading member name | Yes | Character | 0-120 | |
| | FirmNameEN | Trading member (eng) | No | Character | 0-120 | |
| | FirmINN | Trading member taxpayer ID | Yes | Character | 12 | |
| USER | | | | | | |
| | UserId | Sponsored access ID | Yes | Character | 12 | |
| RECORDS | | Section for transaction details | | | | |
| | RecNo | Sequence number | Yes | Number | 11 | 0 |
| | TransNo | Transaction (instruction) unique code | Yes | Number | 20 | 0 |
| | AlgoOrderNo | Algorithmic package number | No | Number | 20 | 0 |
| | EntryTime | Time the instruction was submitted | Yes | Time | | |
| | Status | Transaction status: Y – the instructed order is registered in trading system; | Yes | Character | 1 | |
| | | N – the instructed order is not registered in trading system | | | | |
| | BuySell | Instruction direction: B – buy, S – sell | Yes | Character | 1 | |
| | BoardID | Trading mode ID | Yes | Character | 4 | |
| | SecurityId | Instrument ID | Yes | Character | 12 | |
| | BasePrice | Base rate | No | Number | 20 | |
| | Quantity | Total quantity in lot currency, in currency units | Yes | Number | 20 | 2 |
| | QuantityHidden | Hidden quantity in lot currency, in currency units | No | Number | 20 | |
| | Decimals | Number of meaningful decimal places in the limit price of the instruction | Yes | Number | X | |
| | | (Price attribute) | | | | <u> </u> |
| | Price | Limit price of the instruction | No | Number | 20 | |
| | AmendTime | Time to cancel the instruction | No | Time | | |
| | CPFirmId | Counterparty | No | Character | 12 | |
| | ClientCode | Client short code | No | Character | 12 | |
| | TrdAccId | Code of the trading account of the relevant level | Yes | Character | 12 | |

| | BrokerRef | Instruction number given by the client (field ClOrdID if the instruction is submitted via FIX) | No | Character | 20 | |
|------------|------------|--|-----|-----------|------|--|
| | Details | Details of the first level client | No | Character | 12 | |
| | SubDetails | Details of the second level client | No | Character | 20 | |
| | MisType | Reason for instruction/order rejection | No* | Character | 256 | |
| | MisTypeEN | Reason for instruction/order rejection (eng) | No* | Character | 255 | |
| | Message | Transaction content | Yes | Character | 1000 | |
| /RECORDS | | | | | | |
| /USER | | | | | | |
| /CUX34 | | | | | | |
| /MICEX_DOC | | | | | | |

^{*} if the Status = N, the field is mandator

2.8 Surcharge report

The file's name example: MB12345_CUX16_000_031015_12345678.xml

The session code (the parameter SSS in the file's name) is always 000.

Files in the form of an electronic document are be formed and sent through the EDI system only to trading members of the FX Market.

2.8.1 *THE FORM*

Surcharge report

Trading date: <date>

Exchange: Moscow Exchange

Trading Member: < Identifier>, < Name of Trading Member>

| Highly active trading algorithm | Trading member | Short client | TOT DASSDOTE | client taxpayer | | calculation (for | Fee for surcharge | U \ | Total amount of | Bank account ID for |
|---------------------------------|-------------------|-----------------|--------------|--------------------------|-------------------------------------|----------------------------|--------------------|---------------------------|--------------------|------------------------|
| | taxpayer ID | code | number | ID or passport number | (rounded to L1 and L2 coefficients) | information purpose), RUB* | calculation, RUB** | information purpose), RUB | surcharge, RUB | surcharge payment |
| | | | | | | | | | | |
| | | | | | | | | | | |

^{* -} calculated for trades other than off order book trades and trades encompassed in swaps subject to the impact of orders size on the surcharge (K1 and K2 coefficients).

| Authorized representative of the Exchange: | |
|--|--|
| | |

^{** -} calculated for trades other than off order book trades and trades encompassed in swaps subject to the impact of orders size on the surcharge (K1 and K2 coefficients) as adjusted for F coefficient (to include the impact of the tariff schedule selected for that registration code).

2.8.2 THE STRUCTURE OF ELECTRONIC DOCUMENT (XML-FILE) "ADDITIONAL COMMISSION FEE LIABILITIES REPORT"

| Tag / Node | Attribute | Description | Required | Type | Length | Decimals |
|-----------------|----------------------|---|----------|-----------|--------|----------|
| MICEX_DOC | | Document root element | | | | |
| DOC_REQUISITES | | Document metadata | | | | |
| | DOC_DATE | Date of the document | No | Date | | |
| | DOC_TIME | File generation time | No | Time | | |
| | DOC_NO | Document unique number in the electronic document exchange system | No | Character | 1-12 | |
| | DOC_TYPE_ID | Document type ID in the electronic document exchange system | No | Character | 1-12 | |
| | SENDER_ID | Sender ID | No | Character | 1-12 | |
| | SENDER_NAME | Sender short name | No | Character | 1-30 | |
| | RECEIVER_ID | Recipient ID | No | Character | 1-12 | |
| | REMARKS | Additional remarks | No | Character | 1-120 | |
| | SIGNAUTHOR | Name of the electronic signature author | No | Character | | |
| /DOC_REQUISITES | | | | | | |
| CUX16 | | Element with report data | | | | |
| | ReportDate | Trading date | Yes | Date | | |
| | FirmId | Firm ID | Yes | Character | 0-12 | |
| | FirmName | Full firm name | Yes | Character | 0-120 | |
| RECORDS | | Element with data per client | | | | |
| | DetailsGTA | HFT details (Trading Participant taxpayer number / Client taxpayer number or passport number) | Yes | Character | 20 | |
| | NumOrdersGTA | Total number of orders for Additional Commission Fee calculation (consider witth coefficients L1, L2) | Yes | Number | 20 | 0 |
| | InfoSumCommissionGTA | Total sum of commission, calculated on all HFT trades (consider witth coefficients K1, K2), except Negdeals and SWAP, RUB. (Informational field) | Yes | Number | 20 | 2 |
| | SumCommissionGTA | Total sum of commission for Additional Commission Fee calculation, RUB. Calculated on all HFT trades(consider witth coefficients K1, K2), except Negdeals and SWAP, according to tariff, selected for the specific User ID (coefficient F). | Yes | Number | 20 | 2 |
| | InfoGTACommission | Estimated value of the Additional Commission Fee for HFT, RUB. (Informational field) | Yes | Number | 20 | 2 |
| | GTACommission | Total sum of Additional Commission Fee for HFT, RUB | Yes | Number | 20 | 2 |
| | BankAccId | Bank account ID for Additional Commission Fee payment | No | Character | 12 | |
| DETAILS | | Element with detailed data per client | | | | |
| | FirmINN | Trading Participant taxpayer identification number | Yes | Character | 12 | |
| | ClientCode | Client code | No | Character | 12 | |
| | Details | Client taxpayer number or passport number | No | Character | 20 | |
| | SubDetails | Sub-broker client taxpayer number or passport number | No | Character | 20 | |
| | NumOrders | Number of orders (consider witth coefficients L1, L2) | Yes | Number | 20 | 0 |
| | InfoSumCommission | Total sum of commission, calculated on all trades (consider witth coefficients K1, K2), except Negdeals and SWAP, RUB. (Informational field) | Yes | Number | 20 | 2 |

| | Total sum of commission, RUB. Calculated on all trades (consider witth | Yes | Number | 20 | 2 |
|------------|---|-----|--------|----|---|
| | coefficients K1, K2), except Negdeals and SWAP, according to tariff, selected | | | | |
| | for the specific User ID (coefficient F). | | | | |
| /DETAILS | | | | | |
| /RECORDS | | | | | |
| /CUX16 | | | | | |
| /MICEX_DOC | | | | | |

2.9 Codes of trading modes in according of execution deals

| Instruments | System board | Negotiated board | |
|--|--------------|---------------------|--|
| Spot deals, swap deals, deliverable swap contracts on foreign currency/precious metals, deliverable futures contracts on foreign currency/precious metals with an optional settlement date | CETS | CNGD, LICU* | |
| Big spot deals on foreign currency | SDBP | | |
| Fix deals | FIXS | FIXN | |
| Average weighted deals | WAPS | WAPN | |
| Swap deals | Auction CBR | | |
| | AUCB | | |
| Transfers Instruments | TRAN | | |
| NCC Transfers Instruments | TR | AD | |

^{* -} Negotiated trades of "visible to all" type in the Settlement Procedures Regime